

# CERTIFICATE OF ANALYSIS No.: 2023-11695

## CLIENT

Arktis Global LLP, 32 Kinburn Street  
SE16 6DW London, United Kingdom

## SAMPLE \*

DROPS 6,6% CBD 1% CBN

Sample condition: SUITABLE  
Sample ID: 2314049  
Sample type: Viscous liquid  
Batch No.: \* DR06623096A

Work order: 2023-107407  
Analysis ID: 2023\_095  
Method ID: PHL\_RPC\_16C  
Method SOP: MET-LAB-001-08

Sample received: 06/04/2023  
Start of analysis: 06/04/2023  
End of analysis: 07/04/2023  
Analyst: Domen Lavriha

\* Information provided by the client.

CANNABINOID PROFILE	Concentration [% w/w]	Expanded uncertainty [% w/w]	Graphic presentation of relative cannabinoid concentration
<b>CBDV</b> - Cannabidivarin	0.109	0.020	
<b>CBDA</b> - Cannabidiolic acid	< LOQ	n/a	
<b>CBGA</b> - Cannabigerolic acid	< LOQ	n/a	
<b>CBG</b> - Cannabigerol	0.331	0.083	
<b>CBD</b> - Cannabidiol	6.53	0.33	
<b>THCV</b> - Tetrahydrocannabivarin	< LOQ	n/a	
<b>CBN</b> - Cannabinol	1.003	0.050	
<b>Δ<sup>9</sup>-THC</b> - Δ-9-Tetrahydrocannabinol	< LOQ	n/a	
<b>Δ<sup>8</sup>-THC</b> - Δ-8-Tetrahydrocannabinol	< LOQ	n/a	
<b>CBL</b> - Cannabicyclol	< LOQ	n/a	
<b>CBC</b> - Cannabichromene	< LOQ	n/a	
<b>Δ<sup>9</sup>-THCA</b> - Δ-9-Tetrahydrocannabinolic acid	< LOQ	n/a	
<b>CBV</b> - Cannabivarin	< LOQ	n/a	
<b>CBCA</b> - Cannabichromenic acid	< LOQ	n/a	
<b>CBT</b> - Cannabitran	< LOQ	n/a	
<b>CBE</b> - Cannabielsoin	0.041 #	0.011	

Units and abbreviations: % w/w = weight percent, < LOQ = below the limit of quantitation (0.03 % w/w), ND = not detected, n/a = not available.

The results given herein apply only to the sample as received and tested. Expanded Uncertainty was calculated using coverage factor  $k = 2$ , corresponding to a double standard uncertainty and characterizes the interval value in which it is possible to expect the real value with a probability of 95%. This is stated according to the ISO/IEC Guide 98-3.

Total or partial reproduction of this document is not allowed without the permit from PharmaHemp d.o.o. The document does not substitute any other legal document.

Date issued:

07/04/2023

Approved by:



mag. Janja Ahej  
Analytical Laboratory Manager

Authorized by:



dr. Boštjan Jančar  
Chief Technology Officer

End of Certificate